



Size list - Feb 2010 Inches					Page 1
PART NO.	MINIMUM SHAFT DIAMETER	MAXIMUM SHAFT DIAMETER	WIDTH	LENGTH	INSTALLATION TOOL DEPTH
99058	0.622	0.630	0.315	0.437	1.500
99062	0.621	0.627	0.312	0.406	1.500
99076	0.746	0.752	0.312	0.437	1.500
99078	0.783	0.789	0.312	0.437	1.500
99085	0.861	0.866	0.315	0.472	1.500
99087	0.871	0.877	0.312	0.437	1.500
99098	0.980	0.986	0.312	0.437	1.500
99100	0.995	1.002	0.312	0.437	1.500
99101	0.995	1.002	0.312	0.437	1.500
99112	1.123	1.127	0.312	0.438	0.688
99114	1.179	1.184	0.315	0.433	0.688
99116	1.123	1.127	0.375	0.500	0.688
99118	1.185	1.190	0.312	0.437	0.688
99125	1.245	1.253	0.312	0.437	0.875
99128	1.254	1.263	0.312	0.437	0.875
99138	1.368	1.374	0.500	0.625	1.000
99139	1.372	1.378	0.500	0.063	1.000
99143	1.432	1.438	0.563	0.688	1.016
99144	1.435	1.441	0.375	0.500	1.016
99147	1.490	1.496	0.512	0.669	0.984
99149	1.496	1.503	0.562	0.688	1.016
99150	1.497	1.503	0.375	0.500	1.016
99152	1.519	1.526	0.438	0.563	1.016
99155	1.549	1.555	0.438	0.563	1.016
99156	1.559	1.565	0.563	0.688	1.016
99157	1.572	1.578	0.512	0.630	1.023
99162	1.622	1.628	0.562	0.688	0.812
99168	1.684	1.690	0.563	0.688	0.875
99169	1.647	1.653	0.563	0.689	0.827
99170	1.735	1.742	0.375	0.500	1.032
99172	1.745	1.753	0.375	0.500	1.032
99173	1.745	1.753	0.875	1.000	1.032
99174	1.745	1.753	0.562	0.688	1.032
99175	1.745	1.753	0.750	0.875	1.032
99176	1.759	1.767	0.562	0.688	1.032
99177	1.767	1.775	0.550	0.669	1.032
99181	1.807	1.815	0.562	0.688	1.250
99187	1.869	1.878	0.562	0.688	1.250
99189	1.887	1.893	0.550	0.668	0.984
99192	1.909	1.915	0.375	0.500	1.000
99193	1.932	1.940	0.562	0.688	1.250
99196	1.965	1.971	0.550	0.668	0.984
99199	1.996	2.003	0.562	0.688	2.060
99200	1.996	2.003	0.875	1.000	2.060
99205	2.057	2.063	0.813	0.938	1.375
99210	2.122	2.128	0.500	0.750	1.280
99212	2.122	2.130	0.780	0.937	1.375
99215	2.162	2.168	0.787	0.905	1.375
99218	2.185	2.192	0.781	0.938	1.312
99220	2.198	2.205	0.500	0.625	1.312




Size list - Feb 2010 Inches					Page 2
PART NO.	MIN. SHAFT DIA.	MAX. SHAFT DIA.	WIDTH	LENGTH	INSTAL. TOOL DEPTH
99225	2.248	2.255	0.780	0.937	1.375
99227	2.249	2.255	0.303	0.438	1.312
99235	2.359	2.365	0.787	0.905	1.375
99237	2.372	2.378	0.780	0.937	1.375
99238	2.372	2.378	0.594	0.750	1.375
99240	2.374	2.380	0.526	0.683	1.375
99241	2.359	2.365	0.370	0.450	1.375
99242	2.435	2.441	0.500	0.625	1.425
99243	2.434	2.440	0.781	0.938	1.393
99244	2.433	2.441	0.500	0.625	1.425
99248	2.497	2.506	0.500	0.656	1.393
99249	2.487	2.506	0.780	0.937	1.393
99250	2.497	2.506	0.780	0.937	1.375
99251	2.509	2.516	0.780	0.906	1.375
99253	2.497	2.506	0.555	0.650	0.890
99254	2.554	2.562	0.787	0.905	1.375
99256	2.559	2.566	0.781	0.938	1.375
99259	2.595	2.601	0.781	0.938	1.250
99261	2.618	2.624	0.781	0.938	1.375
99262	2.623	2.631	0.780	0.937	1.500
99264	2.620	2.627	0.780	0.906	1.500
99272	2.750	2.756	0.406	0.563	1.250
99274	2.743	2.751	0.780	0.937	1.375
99275	2.748	2.756	0.780	0.937	1.375
99276	2.750	2.759	0.787	0.945	1.375
99282	2.837	2.844	0.500	0.656	1.250
99284	2.826	2.836	0.748	0.868	1.339
99287	2.871	2.879	0.780	0.937	1.375
99289	2.949	2.956	0.594	0.689	1.083
99290	2.936	2.943	0.500	0.640	1.331
99291	2.989	2.996	0.484	0.625	1.331
99293	2.935	2.943	0.780	0.938	1.500
99294	2.949	2.956	0.866	1.024	1.312
99296	2.997	3.005	0.812	0.938	1.375
99298	2.989	2.996	0.563	0.688	1.375
99299	2.987	2.996	0.812	1.000	1.250
99300	2.998	3.006	0.812	1.000	1.281
99303	2.998	3.006	0.625	0.812	1.063
99307	3.123	3.132	0.550	0.709	2.031
99311	3.119	3.126	0.688	0.813	2.000
99312	3.119	3.126	0.812	1.000	2.000
99313	3.141	3.150	0.750	0.886	1.375
99315	3.145	3.153	0.827	0.945	1.375
99317	3.145	3.153	0.433	0.591	1.375
99322	3.246	3.253	0.812	1.000	1.375
99324	3.248	3.256	0.595	0.720	1.500
99325	3.248	3.256	0.812	1.000	1.500
99332	3.337	3.347	0.669	0.827	1.378
99333	3.337	3.347	0.827	0.894	1.378
99337	3.371	3.379	0.812	1.000	1.500




Size list - Feb 2010 Inches					Page 3
PART NO.	MIN. SHAFT DIA.	MAX. SHAFT DIA.	WIDTH	LENGTH	INSTAL. TOOL DEPTH
99346	3.495	3.503	0.625	0.812	1.348
99347	3.498	3.506	0.312	0.500	1.348
99349	3.499	3.507	0.625	0.812	1.348
99350	3.498	3.506	0.812	1.000	1.347
99351	3.540	3.546	0.710	0.906	1.812
99353	3.540	3.546	0.526	0.667	1.750
99354	3.540	3.546	0.906	1.102	1.750
99356	3.560	3.566	0.812	1.000	1.750
99360	3.618	3.624	0.812	1.000	1.750
99362	3.622	3.629	0.812	1.000	1.750
99363	3.622	3.629	0.500	0.625	1.750
99364	3.739	3.746	0.469	0.594	1.750
99367	3.748	3.756	0.344	0.500	1.750
99369	3.736	3.743	0.827	0.945	1.750
99372	3.748	3.756	0.688	0.875	1.875
99374	3.739	3.746	0.344	0.500	1.750
99376	3.745	3.752	0.563	0.688	1.750
99387	3.873	3.879	0.812	1.000	1.875
99393	3.935	3.941	0.812	1.000	2.050
99395	3.995	4.006	0.600	0.725	2.125
99399	3.995	4.006	0.812	1.000	2.125
99400	3.995	4.006	0.650	0.775	2.125
99401	3.995	4.006	0.500	0.625	2.125
99424	4.248	4.256	0.812	1.000	1.438
99437	4.370	4.378	0.812	1.000	1.650
99450	4.496	4.504	0.813	1.000	1.250
99452	4.523	4.531	0.813	0.938	1.250
99492	4.916	4.925	1.024	1.260	1.438
99498	4.998	5.006	0.688	0.875	1.438
99499	4.998	5.006	0.813	1.000	1.438
99525	5.246	5.254	0.812	1.000	1.250
99549	5.498	5.506	0.812	1.000	1.250
99550	5.498	5.506	0.518	0.705	1.250
99552	5.508	5.516	0.807	1.000	1.250
99599	5.995	6.004	1.000	1.250	1.750
99650	6.495	6.505	1.000	1.250	1.375
99700	6.994	7.005	1.000	1.250	1.688

Durasleeve.com
 All our sleeves are Hard Chrome coated


Durability matters - Use Dura Sleeve on YOUR projects



Size list - Feb 2010		Metric			Page 4	
PART NO.	MIN. SHAFT DIA.	MAX. SHAFT DIA.	WIDTH	LENGTH	INSTAL. TOOL DEPTH	
99058	15.80	16.00	8.0	11.1	38.1	
99062	15.77	15.93	7.9	10.3	38.1	
99076	18.95	19.10	7.9	11.1	38.1	
99078	19.89	20.04	7.9	11.1	38.1	
99085	21.87	22.00	8.0	12.0	38.1	
99087	22.12	22.28	7.9	11.1	38.1	
99098	24.89	25.04	7.9	11.1	38.1	
99100	25.27	25.45	7.9	11.1	38.1	
99101	25.27	25.45	7.9	11.1	38.1	
99112	28.52	28.63	7.9	11.1	17.5	
99114	29.95	30.07	8.0	11.0	17.5	
99116	28.52	28.63	9.5	12.7	17.5	
99118	30.10	30.23	7.9	11.1	17.5	
99125	31.62	31.83	7.9	11.1	22.2	
99128	31.85	32.08	7.9	11.1	22.2	
99138	34.75	34.90	12.7	15.9	25.4	
99139	34.85	35.00	12.7	1.6	25.4	
99143	36.37	36.53	14.3	17.5	25.8	
99144	36.45	36.60	9.5	12.7	25.8	
99147	37.85	38.00	13.0	17.0	25.0	
99149	38.00	38.18	14.3	17.5	25.8	
99150	38.02	38.18	9.5	12.7	25.8	
99152	38.58	38.76	11.1	14.3	25.8	
99155	39.34	39.50	11.1	14.3	25.8	
99156	39.60	39.75	14.3	17.5	25.8	
99157	39.93	40.08	13.0	16.0	26.0	
99162	41.20	41.35	14.3	17.5	20.6	
99168	42.77	42.93	14.3	17.5	22.2	
99169	41.83	41.99	14.3	17.5	21.0	
99170	44.07	44.25	9.5	12.7	26.2	
99172	44.32	44.53	9.5	12.7	26.2	
99173	44.32	44.53	22.2	25.4	26.2	
99174	44.32	44.53	14.3	17.5	26.2	
99175	44.32	44.53	19.1	22.2	26.2	
99176	44.68	44.88	14.3	17.5	26.2	
99177	44.88	45.09	14.0	17.0	26.2	
99181	45.90	46.10	14.3	17.5	31.8	
99187	47.47	47.70	14.3	17.5	31.8	
99189	47.93	48.08	14.0	17.0	25.0	
99192	48.49	48.64	9.5	12.7	25.4	
99193	49.07	49.28	14.3	17.5	31.8	
99196	49.91	50.06	14.0	17.0	25.0	
99199	50.70	50.88	14.3	17.5	52.3	
99200	50.70	50.88	22.23	25.40	52.32	
99205	52.25	52.40	20.65	23.83	34.93	
99210	53.90	54.05	12.70	19.05	32.51	
99212	53.90	54.10	19.81	23.80	34.93	
99215	54.91	55.07	19.99	22.99	34.93	
99218	55.50	55.68	19.8	23.8	33.3	
99220	55.83	56.01	12.7	15.9	33.3	



Size list - Feb 2010		Metric			Page 5
PART NO.	MIN. SHAFT DIA.	MAX. SHAFT DIA.	WIDTH	LENGTH	INSTAL. TOOL DEPTH
99225	57.10	57.28	19.8	23.8	34.9
99227	57.12	57.28	7.7	11.1	33.3
99235	59.92	60.07	20.0	23.0	34.9
99237	60.25	60.40	19.8	23.8	34.9
99238	60.25	60.40	15.1	19.1	34.9
99240	60.30	60.45	13.4	17.3	34.9
99241	59.92	60.07	9.4	11.4	34.9
99242	61.85	62.00	12.7	15.9	36.2
99243	61.82	61.98	19.8	23.8	35.4
99244	61.80	62.00	12.7	15.9	36.2
99248	63.42	63.65	12.7	16.7	35.4
99249	63.17	63.65	19.8	23.8	35.4
99250	63.42	63.65	19.81	23.80	34.93
99251	63.73	63.91	19.81	23.01	34.93
99253	63.42	63.65	14.10	16.51	22.61
99254	64.87	65.07	20.0	23.0	34.9
99256	65.00	65.18	19.8	23.8	34.9
99259	65.91	66.07	19.8	23.8	31.8
99261	66.50	66.65	19.8	23.8	34.9
99262	66.62	66.83	19.81	23.80	38.10
99264	66.55	66.73	19.8	23.0	38.1
99272	69.85	70.00	10.3	14.3	31.8
99274	69.67	69.88	19.8	23.8	34.9
99275	69.80	70.00	19.8	23.8	34.9
99276	69.85	70.08	20.0	24.0	34.9
99282	72.06	72.24	12.7	16.7	31.8
99284	71.78	72.03	19.0	22.0	34.0
99287	72.92	73.13	19.8	23.8	34.9
99289	74.90	75.08	15.1	17.5	27.5
99290	74.57	74.75	12.7	16.3	33.8
99291	75.92	76.10	12.3	15.9	33.8
99293	74.55	74.75	19.8	23.8	38.1
99294	74.90	75.08	22.0	26.0	33.3
99296	76.12	76.33	20.6	23.8	34.9
99298	75.92	76.10	14.3	17.5	34.9
99299	75.87	76.10	20.6	25.4	31.8
99300	76.15	76.35	20.6	25.4	32.5
99303	76.15	76.35	15.9	20.6	27.0
99307	79.32	79.55	14.0	18.0	51.6
99311	79.22	79.40	17.5	20.7	50.8
99312	79.22	79.40	20.6	25.4	50.8
99313	79.78	80.01	19.1	22.5	34.9
99315	79.88	80.09	21.0	24.0	34.9
99317	79.88	80.09	11.0	15.0	34.9
99322	82.45	82.63	20.6	25.4	34.9
99324	82.50	82.70	15.1	18.3	38.1
99325	82.50	82.70	20.6	25.4	38.1
99332	84.76	85.01	17.0	21.0	35.0
99333	84.76	85.01	21.0	22.7	35.0
99337	85.62	85.83	20.6	25.4	38.1



Size list - Feb 2010		Metric			Page 6
PART NO.	MIN. SHAFT DIA.	MAX. SHAFT DIA.	WIDTH	LENGTH	INSTAL. TOOL DEPTH
99346	88.77	88.98	15.9	20.6	34.2
99348	88.85	89.05	7.9	12.7	34.2
99349	88.87	89.08	15.9	20.6	34.2
99350	88.85	89.05	20.6	25.4	34.2
99351	89.92	90.07	18.0	23.0	46.0
99353	89.92	90.07	13.4	16.9	44.5
99354	89.92	90.07	23.0	28.0	44.5
99356	90.42	90.58	20.6	25.4	44.5
99360	91.90	92.05	20.6	25.4	44.5
99362	92.00	92.18	20.6	25.4	44.5
99363	92.00	92.18	12.7	15.9	44.5
99364	94.97	95.15	11.9	15.1	44.5
99367	95.20	95.40	8.7	12.7	44.5
99369	94.89	95.07	21.0	24.0	44.5
99372	95.20	95.40	17.5	22.2	47.6
99374	94.97	95.15	8.7	12.7	44.5
99376	95.12	95.30	14.3	17.5	44.5
99387	98.37	98.53	20.6	25.4	47.6
99393	99.95	100.10	20.6	25.4	52.1
99395	101.47	101.75	15.2	18.4	54.0
99399	101.47	101.75	20.6	25.4	54.0
99400	101.47	101.75	16.5	19.7	54.0
99401	101.47	101.75	12.7	15.9	54.0
99424	107.90	108.10	20.6	25.4	36.5
99437	111.00	111.20	20.6	25.4	41.9
99450	114.20	114.40	20.7	25.4	31.8
99452	114.88	115.09	20.7	23.8	31.8
99492	124.87	125.10	26.0	32.0	36.5
99498	126.95	127.15	17.5	22.2	36.5
99499	126.95	127.15	20.7	25.4	36.5
99525	133.25	133.45	20.6	25.4	31.8
99549	139.65	139.85	20.6	25.4	31.8
99550	139.65	139.85	13.2	17.9	31.8
99552	139.90	140.11	20.5	25.4	31.8
99599	152.27	152.50	25.4	31.8	44.5
99650	164.97	165.23	25.4	31.8	34.9
99700	177.65	177.93	25.4	31.8	42.9

Durasleeve.com

All our sleeves are Hard Chrome coated

Durability matters - Use Dura Sleeve on YOUR projects